

D&R Dispersions and Resins Sp. z o.o.

DEKLARACJA ZGODNOŚCI UE OPAKOWANIA

zgodnie z rozporządzeniem (UE) 2025/40 (PPWR)

Dokument został przygotowany w oparciu o minimalne elementy deklaracji zgodności UE z załącznika VIII PPWR.

Numer deklaracji	D&R/PPWR/30442/2026/01
Data wydania	7.08.2026
Wersja dokumentu	1.0

1. Identyfikacja opakowania

Nazwa handlowa / typ opakowania: ECOBULK - kontener transportowy IBC 1000 l, MX1000 UN Ex Nat/150R TP 2"ET15HF int.Bfly 80 00 Met 1PCS/Steel Frame 2-Plt LG:LG

Kod / numer katalogowy / oznaczenie opakowania: Article-No. 4012585

Krótki opis opakowania: Kontener IBC ECOBULK 1000 l do zastosowań non-food, z pojemnikiem wewnętrznym HDPE, ocynkowaną klatką/stalową ramą i paletą stalową, wyposażony w zamknięcie DN150/6" oraz zintegrowany zawór motylkowy DN80/3".

Kategoria funkcjonalna opakowania wg PPWR: opakowanie transportowe; kategoria opakowania według załącznika II tabela 1 PPWR: kategoria 10.

Kategoria materiałowa / format: IBC / opakowanie wielomateriałowe - stal 72%, tworzywa sztuczne 28%, drewno 0%.

2. Dane wytwórcy

Pełna nazwa: D&R Dispersions & Resins Sp. z o.o.

Adres: ul. Duninowska 9, 87-800 Włocławek.

Kraj: Polska.

NIP / VAT UE / dane rejestrowe: NIP 888 308 64 11; REGON 340802549; BDO 000017407; KRS 0000363403.

Osoba kontaktowa / dział: Justyna Kawaska, Szymon Jarosz

Adres e-mail / telefon: biuro@d-resins.com; tel. +48 54 41 14 370.

3. Oświadczenie wytwórcy

Niniejsza deklaracja zgodności UE została wydana na wyłączną odpowiedzialność wytwórcy wskazanego w pkt 2. Wytwórca oświadcza, że opakowanie wskazane w pkt 1 spełnia mające zastosowanie wymagania rozporządzenia (UE) 2025/40 w sprawie opakowań i odpadów opakowaniowych (PPWR) w zakresie potwierdzonym w dokumentacji technicznej; obszary bez odrębnego potwierdzenia dostawcy wskazano jako do uzupełnienia albo do monitorowania.

4. Przedmiot deklaracji

- Opis opakowania:** Kontener IBC ECOBULK 1000 l do zastosowań non-food, z pojemnikiem wewnętrznym HDPE, ocynkowaną klatką/stalową ramą i paletą stalową, wyposażony w zamknięcie DN150/6" oraz zintegrowany zawór motylkowy DN80/3".
- Główny materiał / materiały części składowych:** opakowanie wielomateriałowe: stal 72%, tworzywa sztuczne 28%, drewno 0%; elementy: HDPE, TPE, PP, PE, stal ocynkowana, stal nierdzewna V4A.

D&R Dispersions and Resins Sp. z o.o. • 87-800 WŁOCŁAWEK, • ul. Duninowska 9


Tel.: +48 54 41 14 370 • Fax: +48 54 41 14 530

NIP 888 308 64 11 • Regon 340802549 • BDO 000017407 • Kapitał Zakładowy: 100 000,00 zł

KRS 0000363403 • Sąd Rejonowy w Toruniu, VII Wydział Gospodarczy KRS

Numer konta: 31 1140 2088 0000 5973 6600 1001, mBANK S.A. w Warszawie, o/ korporacyjny w Toruniu

- **Przeznaczenie opakowania:** opakowanie transportowe IBC do przechowywania, transportu i obsługi produktów D&R w zastosowaniach non-food, z uwzględnieniem wymagań dla ciekłych towarów niebezpiecznych, jeżeli mają zastosowanie.
- **Rysunek / zdjęcie referencyjne / numer załącznika:** specyfikacja Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04, strony 1-3.



5. Odniesienie do mających zastosowanie przepisów

Rozporządzenie (UE) 2025/40 w sprawie opakowań i odpadów opakowaniowych (PPWR).

Inne mające zastosowanie akty prawne UE / wymagania szczególne: wymagania dotyczące towarów niebezpiecznych ADR/RID/IMDG/Orange Book, jeżeli mają zastosowanie do przewożonego produktu; wymagania EX według IEC TS 60079-32-1 i TRGS 727 przy stosowaniu w strefach zagrożenia wybuchem; certyfikat dopuszczenia typu konstrukcyjnego IBC do transportu towarów niebezpiecznych: Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12.

6. Normy, wspólne specyfikacje i dokumenty odniesienia

- **Normy zharmonizowane zastosowane w ocenie zgodności:** brak wskazanych norm zharmonizowanych w dokumencie dostawcy; zastosowano dokumentację techniczną, specyfikację dostawcy i certyfikat BAM.
- **Wspólne specyfikacje / inne specyfikacje techniczne:** specyfikacja Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04; UN-marking: UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA; wymagania IEC TS 60079-32-1 i TRGS 727 dla stref EX; oznakowanie certyfikatu: 31HA1/Y/..../D/BAM 14977-*/4056/1723.
- **Dokumentacja techniczna D&R, do której odnosi się niniejsza deklaracja:** DT/D&R/PPWR/30442/2026/01, wersja 1.0.

7. Wynik oceny zgodności

Na podstawie przeprowadzonej oceny zgodności oraz dokumentacji technicznej D&R stwierdza, że wyżej opisane opakowanie spełnia mające zastosowanie wymagania PPWR w zakresie potwierdzonym przez dokumenty dostawcy i certyfikat BAM. Dla formalnego potwierdzenia recyklingowalności oraz zawartości recyklatu PCR w elementach z tworzyw sztucznych nie przekazano odrębnego potwierdzenia - obszary oznaczono jako do uzupełnienia / do monitorowania względem terminów PPWR.

8. Jednostka notyfikowana / certyfikaty

- Jednostka notyfikowana:** nie dotyczy w zakresie niniejszej deklaracji D&R; ocena PPWR oparta na dokumentacji technicznej i dokumentach dostawcy. W zakresie dopuszczenia do transportu towarów niebezpiecznych dokument został wydany przez BAM - Bundesanstalt für Materialforschung und -prüfung, właściwą jednostkę niemiecką dla dopuszczenia typu konstrukcyjnego IBC.
- Numer certyfikatu / sprawozdania / dokumentu:** Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04 z 11.06.2026; UN marking: UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA. Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12; reference no. 3.12/308356; design type approval dla IBC 31HA1; dopuszczenie dla ciekłych towarów niebezpiecznych grup pakowania II lub III z ograniczeniami certyfikatu; oznakowanie: 31HA1/Y/.../D/BAM 14977-*/4056/1723.

9. Informacje dodatkowe

- Czy opakowanie jest jednorazowe czy wielokrotnego użytku: wielokrotnego użytku / możliwe wielokrotne cykle napełniania, pod warunkiem kontroli jakości, prawidłowego opróżniania, zamykania oraz naprawy lub wymiany uszkodzonych elementów zgodnie z dokumentem dostawcy.
- Czy opakowanie podlega wymaganiom szczególnym (np. ADR): tak, jeżeli używane jest do transportu produktów podlegających przepisom o towarach niebezpiecznych; dokumentacja obejmuje oznakowanie UN i certyfikat BAM D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12.
- Uwagi dodatkowe / ograniczenia stosowania: opakowanie przeznaczone do zastosowań non-food. Maksymalna temperatura napełniania dla HDPE nie może przekraczać 70°C. Nie stosować do produktów korozyjnych wobec V4A. W strefach EX stosować IEC TS 60079-32-1 i TRGS 727. Dla towarów niebezpiecznych stosować tylko w zakresie certyfikatu BAM, ADR/RID/IMDG/Orange Book, dla ciekłych towarów grup pakowania II lub III.

Miejsce i data	Włocławek, 7.08.2026
Imię i nazwisko	Arkadiusz Kowalczyk
Stanowisko	Wiceprezes Zarządu

Załącznik A. Lista załączników do deklaracji

- Dokumentacja techniczna opakowania - numer / wersja: DT/D&R/PPWR/30442/2026/01, wersja 1.0.
- Rysunek techniczny / karta techniczna dostawcy: Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04, 11.06.2026.
- Deklaracje materiałowe / chemiczne dostawcy: informacje materiałowe i Supplier information according art. 16 PPWR (EU 2025/40), w tym skład: stal 72%, tworzywa sztuczne 28%, drewno 0%; potwierdzenie non-food.

- Dokumenty dot. metali ciężkich / innych ograniczeń: potwierdzenie Schütz, że łączna koncentracja Pb, Cd, Hg i Cr(VI) nie przekracza 100 mg/kg / 100 ppm; PFAS: system nie jest przeznaczony do kontaktu z żywnością, więc według dostawcy art. 5 ust. 5 PPWR nie ma zastosowania.
- Dokumenty ADR / inne dokumenty szczególne: Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12, reference no. 3.12/308356; UN marking UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA; wymagania IEC TS 60079-32-1 i TRGS 727 dla EX.

D&R Dispersions and Resins Sp. z o.o.

EU DECLARATION OF CONFORMITY FOR PACKAGING

in accordance with Regulation (EU) 2025/40 (PPWR)

This document has been prepared on the basis of the minimum elements of the EU declaration of conformity set out in Annex VIII to the PPWR.

Declaration number	D&R/PPWR/30442/2026/01
Date of issue	7.08.2026
Document version	1.0

1. Packaging identification

- **Trade name / packaging type:** ECOBULK - transport IBC container 1000 l, MX1000 UN Ex Nat/150R TP 2"ET15HF int.Bfly 80 00 Met 1PCS/Steel Frame 2-Plt LG:LG
- **Code / catalogue number / packaging designation:** Article-No. 4012585
- **Brief description of the packaging:** ECOBULK IBC container 1000 l for non-food applications, with an HDPE inner receptacle, galvanised cage/steel frame and steel pallet, equipped with a DN150/6" closure and an integrated DN80/3" butterfly valve.
- **Functional packaging category under the PPWR:** transport packaging; packaging category according to Annex II, Table 1 to the PPWR: category 10.
- **Material category / format:** IBC / multi-material packaging - steel 72%, plastics 28%, wood 0%.

2. Manufacturer details


- **Full name:** D&R Dispersions & Resins Sp. z o.o.
- **Address:** 9 Duninowska St., 87-800 Włocławek.
- **Country:** Poland.
- **Tax ID / EU VAT No. / registration details:** Tax ID (NIP) 888 308 64 11; REGON 340802549; BDO 000017407; KRS 0000363403.
- **Contact person / department:** Justyna Kawka, Szymon Jarosz
- **E-mail address / telephone:** biuro@d-resins.com; tel. +48 54 41 14 370.

3. Manufacturer's statement

This EU declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 2. The manufacturer declares that the packaging identified in point 1 satisfies the applicable requirements of Regulation (EU) 2025/40 on packaging and packaging waste (PPWR) to the extent confirmed in the technical documentation; areas without a separate supplier confirmation are indicated as to be completed or to be monitored.

4. Object of the declaration

- **Description of the packaging:** ECOBULK IBC container 1000 l for non-food applications, with an HDPE inner receptacle, galvanised cage/steel frame and steel pallet, equipped with a DN150/6" closure and an integrated DN80/3" butterfly valve.
- **Main material / materials of components:** multi-material packaging: steel 72%, plastics 28%, wood 0%; components: HDPE, TPE, PP, PE, galvanised steel, V4A stainless steel.
- **Intended use of the packaging:** transport IBC packaging for storage, transport and handling of D&R products in non-food applications, taking into account requirements for liquid dangerous goods where applicable.
- **Reference drawing / photograph / annex number:** Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04, pages 1-3.



5. References to the applicable legislation

- Regulation (EU) 2025/40 on packaging and packaging waste (PPWR).
- Other applicable Union acts / specific requirements: dangerous goods requirements under ADR/RID/IMDG/Orange Book, where applicable to the product transported; EX requirements according to IEC TS 60079-32-1 and TRGS 727 when used in explosive atmospheres; design type approval certificate for an IBC for the transport of dangerous goods: Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12.

6. Standards, common specifications and reference documents

- **Harmonised standards applied in the conformity assessment:** no harmonised standards were indicated in the supplier document; the conformity assessment was based on the technical documentation, supplier specification and BAM certificate.
- **Common specifications / other technical specifications:** Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04; UN marking: UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA; IEC TS 60079-32-1 and TRGS 727 requirements for EX zones; certificate marking: 31HA1/Y/..../D/BAM 14977-*/4056/1723.
- **D&R technical documentation to which this declaration refers:** DT/D&R/PPWR/30442/2026/01, version 1.0.

7. Result of the conformity assessment

On the basis of the conformity assessment carried out and the technical documentation, D&R declares that the packaging described above satisfies the applicable PPWR requirements to the extent confirmed by the supplier documents and BAM certificate. No separate confirmation has been provided for formal PPWR recyclability or PCR recycled content in plastic components - these areas are marked as to be completed / to be monitored against PPWR deadlines.

8. Notified body / certificates

- **Notified body:** not applicable within the scope of this D&R declaration; the PPWR assessment was based on the technical documentation and supplier documents. With regard to approval for the transport of dangerous goods, the document was issued by BAM - Bundesanstalt für Materialforschung und -prüfung, the competent German authority for IBC design type approval.
- **Certificate / report / document number:** Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04 of 11.06.2026; UN marking: UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA. Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12; reference no. 3.12/308356; design type approval for IBC 31HA1; approval for liquid dangerous goods of packing groups II or III subject to the certificate restrictions; marking: 31HA1/Y/..../D/BAM 14977-*/4056/1723.

9. Additional information

- Whether the packaging is single-use or reusable: reusable / possible multiple filling cycles, subject to quality checks, proper emptying and closing, and repair or replacement of damaged components in accordance with the supplier document.
- Whether the packaging is subject to specific requirements (e.g. ADR): yes, if used for the transport of products subject to dangerous goods regulations; the documentation includes UN marking and BAM certificate D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12.
- Additional notes / restrictions on use: the packaging is intended for non-food applications. Before filling, D&R/the filler should confirm the material compatibility of the product with HDPE, TPE/PP/PE and V4A stainless steel components. The maximum filling temperature for HDPE must not exceed 70°C. Do not use for products corrosive to V4A. In EX zones, apply IEC TS 60079-32-1 and TRGS 727. For dangerous goods, use only within the scope of the

BAM certificate, ADR/RID/IMDG/Orange Book, for liquid goods of packing groups II or III and after confirming chemical compatibility.

Place and date	Włocławek, 7.08.2026
Name and surname	Arkadiusz Kowalczyk
Position	Vice President of the Board

Annex A. List of annexes to the declaration

- Technical documentation for the packaging - number / version: DT/D&R/PPWR/30442/2026/01, version 1.0.
- Technical drawing / supplier's technical data sheet: Schütz Packaging - Specification ECOBULK, Article-No. 4012585, rev. 04, 11.06.2026.
- Supplier's material / chemical declarations: material information and Supplier information according to art. 16 PPWR (EU 2025/40), including composition: steel 72%, plastics 28%, wood 0%; non-food confirmation.
- Documents concerning heavy metals / other restrictions: Schütz confirmation that the total concentration of Pb, Cd, Hg and Cr(VI) does not exceed 100 mg/kg / 100 ppm; PFAS: the system is not intended for food contact, therefore according to the supplier Article 5(5) PPWR does not apply.
- ADR documents / other specific documents: Zulassungsschein / Certificate of Approval D/BAM 14977/31HA1 - 12. Neufassung / Amendment no. 12, reference no. 3.12/308356; UN marking UN_31HA1/Y/MM YY/D/BAM14977-SCHÜTZ#/4056/1723/1060L/54KG/100KPA; IEC TS 60079-32-1 and TRGS 727 requirements for EX.